

WorkMo 34-500 incl. 4 x SBLH6

Material no.: 1000003703 | Matchcode: WO 34-500 SBL6 | EAN code: 4045294396602



- » equipped with 4 drawers
- » Stackable functional modules
- » Fast and easy to build
- » Flexible usage

Materials & Color

Material:	Aluminium Synthetic material
Color:	Sortimo CoolGrey

Dimensions

Grid width:	3
Grid depth:	4
External dimensions:	15.6 x 31.1 x 19.9 in
Internal dimensions:	12.7 x 16.5 x 3.5 in
Usable space:	0.538 m ²


WorkMo 34-500 incl. 4 x SBLH6

Material no.: 1000003703 | Matchcode: WO 34-500 SBL6 | EAN code: 4045294396602

Technical data


Weight:	57.28 lb
Maximum payload:	220.46 lb
Maximum lid load:	220.46 lb
Number of drawers:	4

Accessories

	Material no.	Description	Matchcode	EAN code
	1000003707	Roller WorkMo 34	WO RO 34	4045294397005
	1000003698	Work top WorkMo 34	WO AP 34	4045294395773
	6000002992	Roller adapter WorkMo	WO RK VPE2	4045294489731
	1000003774	Electric power supply 4-way WorkMo	WO SV 04-7	4045294408558
	6000001329	Storage pocket 04-7, plastic, supplied without fittings	AB 04-7 KU	4045294227012
	801016054	Plastic storage pocket for paper 04-12	AB 04-12K	4045294173654

WorkMo 34-500 incl. 4 x SBLH6

Material no.: 1000003703 | Matchcode: WO 34-500 SBL6 | EAN code: 4045294396602

	Material no.	Description	Matchcode	EAN code
	1000003705	Perforated aluminium grid WorkMo 500	WO SBAL 500	4045294396800

Description

This module is equipped with four drawers, height 6 (internal dimensions WxHxD): 660 x 89 x 314 mm). The drawers store objects, keeps them concealed from view and are easily accessible due to its full extension. They can be subdivided with accessories such as inset boxes, small component trays or dividers and provides clear arrangement and orderliness. Optional anti-rattle mats on the floor of the drawer prevents movement of the contents and absorbs noise.

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 29.02.2024