

## ProClick Holder

Material no.: 6000013927 | Matchcode: PC HOLDER | EAN code: 4014599386359



- » allows you to carry tool bags directly on your body, and is suitable for the ProClick tool belt and most commercially-available belts
- » intuitive and patented click connection
- » compatible with the entire ProClick system

### Materials & Color

Material:	PA6
Color:	RAL 9017 Traffic black RAL 5017 Traffic blue

### Dimensions

External dimensions:	3.346 x 2.362 x 0.984 in
----------------------	--------------------------

### Technical data

Weight:	0.16 lb
Maximum payload:	11.02 lb








### Conformity

REACH conformity:	EG 1907/2006
PAH conformity:	EU 1272/2013

## ProClick Holder

Material no.: 6000013927 | Matchcode: PC HOLDER | EAN code: 4014599386359

### Accessories

	Material no.	Description	Matchcode	EAN code
	6000013928	ProClick Tool Bag M 14	PC WKZT M 14	4014599386366
	6000015241	ProClick hammer holder S	PC HH S	4014599453549
	6000013929	ProClick Nail bag M	PC NT M	4014599386373
	6000015240	ProClick Tool Card S 6	PC WKZK S 6	4014599453525
	6000013930	ProClick Tool Bag L 16	PC WKZT L 16	4014599386380
	6000013931	ProClick Tool Bag L 36	PC WKZT L 36	4014599386830
	6000013932	ProClick Tool Bag L 39	PC WKZT L 39	4014599386847

### ProClick Holder

Material no.: 6000013927 | Matchcode: PC HOLDER | EAN code: 4014599386359

#### Description

The Holder is the heart of the ProClick system. It holds all the ProClick tool bags and can be combined across the board with all ProClick bags on the market. It is also compatible with all commercially-available straps with a max. width of 5 cm. The Holder particularly practical in combination with the ProClick tool belt. This allows you to carry working materials on your person, a real relief when you are up a ladder, on scaffolding, and when you are working overhead. Everything you need is within easy reach. The ProClick Holder has an active lock to safely transport the tool bag. There is a "click" when you connect the two, indicating that the hook on the bag has engaged and is fixed securely. You need to deliberately push the blue button to release it and this prevents the tool bag from self-releasing. This provides a significant safety factor, particularly when working up a ladder or on scaffolding.

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 08.02.2024