

L-BOXX 136 G4 incl. Foam insert

Material no.: 1000011319 | Matchcode: LB 136 G4 RS SET | EAN code: 4045294737559



- » includes perforated foam insert and lid insert
- » innovative click-system with one-handed operation
- » Access to content even in a clicked-in state
- » fast securing with lock, even combined with several BOXXes
- » Personalisation by means of label with colour code

Materials & Color

Material:	ABS PA6
Color:	Sortimo CoolGrey

Dimensions

External dimensions:	14.2 x 17.5 x 6 in
Internal dimensions:	12.2 x 14.8 x 4.1 in
Usable space:	0.117 m ²

Technical data

Weight:	4.70 lb
Maximum payload:	26.46 lb
Maximum lid load:	187.39 lb
Water resistance:	IPX4 - Protection against splash water

L-BOXX 136 G4 incl. Foam insert

Material no.: 1000011319 | Matchcode: LB 136 G4 RS SET | EAN code: 4045294737559

Conformity

REACH conformity: EG 1907/2006

PAH conformity: EU 1272/2013

Accessories

	Material no.	Description	Matchcode	EAN code
	6000011233	Adhesive labels, assorted, for BOXXes/cases/clips 12 in number (1 sheet)	SR ETIKETT 1BOG	4045294740894
	121015412	L-BOXX Trolley	LB ROLL	4045294169268
	1000001369	Small L-BOXX Work top	M AP LB 500X700	4045294219383
	121017995	Worktop for L-BOXX G, one-piece	LB APD 1TEIL	4045294188535
	121017994	Worktop for L-BOXX G, two pieces	LB APD 2TEILE	4045294188528
	801014905	AluCaddy foldable	ZCAKL	4045294165253

L-BOXX 136 G4 incl. Foam insert

Material no.: 1000011319 | Matchcode: LB 136 G4 RS SET | EAN code: 4045294737559

	Material no.	Description	Matchcode	EAN code
	121015436	incl. seat cushion top cover L-BOXX	LB SPD	4045294169428

Spare parts

Material no.	Description	Matchcode	EAN code
6000011401	Snap locks l/r spare part for the L-BOXX G4	ET LB G4 VS	4045294745196
6000011403	Front handle spare part for the L-BOXX G4	ET LB G4 FG	4045294745219
6000011404	Connecting clamps spare part for the L-BOXX G4	ET LB G4 KH	4045294745226
6000011405	U-shaped handle spare part for the L-BOXX G4	ET LB G4 TB	4045294745233

Description

This L-BOXX 136 G4 features a perforated foam insert, which can be adapted for shock-sensitive and scratch-sensitive equipment by removing individual foam elements (size 15 x 15 mm). The rigid foam lid insert also protects the contents from damages. The foam insert provides a transport option ideally adapted to your requirements, saving additional costs, since the Sortimo transport solution helps to enhance the service life of your valuable work materials.

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 29.02.2024