

## T-BOXX 120 load securing

Material no.: 1000021068 | Matchcode: STB 120 LASI | EAN code: 4014599172396



- » includes basic equipment for load securing in your van
- » Can be coupled with T-BOXX 320 or T-BOXX 330
- » Compatible with the ProClick system and Sortimo in-vehicle equipment
- » transparent cover
- » Content always in view

### Materials & Color

Material:	ABS PC PP Plastic high-grade steel
Color:	Sortimo CoolGrey Sortimo Blue Transparent

### Dimensions

External dimensions:	14.1 x 8.1 x 3.3 in
Internal dimensions:	10 x 7 x 2.3 in
Usable space:	0.045 m <sup>2</sup>

### Technical data

Weight:	4.39 lb
Maximum payload:	11.02 lb
Maximum lid load:	220.46 lb
Temperature resistance:	-30 - 80 °C
Water resistance:	IPX4 - Protection against splash water





## T-BOXX 120 load securing

Material no.: 1000021068 | Matchcode: STB 120 LASI | EAN code: 4014599172396

### Conformity

REACH conformity:	EG 1907/2006
PAH conformity:	EU 1272/2013

### Accessories

	Material no.	Description	Matchcode	EAN code
	1000001870	Flexible edge protection lash.straps(4x)	ZFKS ZG VPE4	4045294230999
	6000015685	Labelling sticker STB120 multic. 1 Bog.	STB 120 Etikett	4014599800862
	1000021631	Holder T-BOXX 120 GL4	H STB 120 GL4	4014599803726
	1000021618	Holder T-BOXX 120 SR5	H STB 120 SR5	4014599790293
	6000011232	Adhesive labels for inset box 30 in number, assorted (1 sheet)	IB ETIKETT 1BOG	4045294740887

### Spare parts

Material no.	Description	Matchcode	EAN code
6000014293	ET detachable hinge for the SR-BOXX/ C-BOXX/ T-BOXX 120	ET ST SCH SRB 2STK	4014599630896

### T-BOXX 120 load securing

Material no.: 1000021068 | Matchcode: STB 120 LASI | EAN code: 4014599172396

#### Description

The T-BOXX 120 contains basic equipment for load securing in your van. Using the integrated ProClick hook, the T-BOXX 120 can be placed at various locations on the van racking system or in the vehicle. The load securing elements included are therefore quickly available and ready for use.

Contents:

- 2x ProSafe lashing straps with ratchet turn buckle 3.5 m
- 2x ProSafe lashing straps with clamping lock 3 m
- 4x anti-rattle mats 200x100x8 mm for pallet feet
- 4x Flex edge profiles for lashing straps
- 1x load securing information flyer

ProSafe lashing straps are compatible with Sortimo van racking systems and with the vehicle manufacturer's original lashing points.

The anti-rattle mats can be placed under your cargo to increase the friction between the load and the floor, crucially important especially with friction-locked load securing.

The use of edge profiles protects lashing straps from damage and premature wear. They can be positioned between the cargo and lashing strap when lashing to prevent the strap from chafing or cutting into the cargo.

An information flyer with useful practical tips on load securing is included, essential as reference in every vehicle.

We reserve the right to make changes in the interest of technical progress, as well as correcting printing errors and mistakes. Pictures are similar, decorative material not included. With the publication of this data sheet, previous editions lose their validity. Version: 16.11.2023